

# Table of Contents

1	IMPORTANT SAFETY INSTRUCTIONS	2
1.1	Important Operation Instructions for Owners	2
1.2	Important Safety Instructions for Users	3
1.3	Warning Label Locations	4
2	INSTALLATION AND ASSEMBLY	5
2.1	Product Information	5
2.2	Place of Installation	6
2.3	Assembly Guide	6
3	CARE AND MAINTENANCE	17
3.1	Commercial Maintenance Schedule	17
3.2	Daily Inspection & Maintenance	18
3.3	Weekly Inspection & Maintenance	18
3.4	Other Scheduled Preventive Maintenance	18
3.5	Clean the Equipment	19

## IMPORTANT SAFETY INSTRUCTIONS

It is the sole responsibility of the purchaser of Intenza products to instruct all individuals, whether they are the end user or supervising personnel on proper usage of the equipment.

It is recommended that all users of Intenza exercise equipment be informed of the following information prior to its use.

## 1.1 Important Operation Instructions for Owners

Follow these guidelines to maintain proper working condition of the equipment—

**IMPORTANT** Do not modify the equipment or any of its parts, or permanently remove any part from the equipment. Do not use accessory attachments that are not recommended by Intenza, as such attachments might cause injuries.

- · Qualified technicians must perform all regular maintenance.
- Do not remove warning labels for any reason. They contain important information. If unreadable or missing, contact your Intenza dealer for a replacement.
- · Check that all fasteners are securely tightened.
- · Make sure that trainers, facility personnel, and maintenance technicians understand how to use the equipment, know important safety guidelines, and can recognize potential problems such as loose hardware, or cracked weld. If any staff member witnesses unsafe use of the equipment, he or she should address the user directly, demonstrate the proper technique, and review the Important Safety Instructions for Users.
- · Intenza recommends posting a copy of the Important Safety Instructions for Users near the equipment in a prominent location.
- · Place an "out—of—order" sign on the equipment during maintenance of the equipment or the surrounding area. Users should never be allowed to operate the equipment until it has been inspected and works properly. If a piece of equipment needs service, keep it out of use until it is repaired. Place an "out—of—order" sign on the equipment and make sure the facility's personnel know not to allow anyone to use the equipment until it is working properly.
- · Do not place the equipment outdoors or on wet surfaces.

## 1.2 Important Safety Instructions for Users

Read all instructions before using the equipment. These instructions were written to ensure your safety and to protect the equipment. Equipment is intended for commercial use.

Before beginning any fitness program, you should obtain a complete physical examination from your physician.

When using exercise equipment, you should always take basic precautions, including the following—

- If you do not understand how to operate a piece of equipment, ask someone from the facility such as a trainer to demonstrate how to use it and explain any safety instructions.
- · Do not allow children on or near the equipment. Do not leave children unsupervised around the equipment.
- Use the equipment only for its intended purpose. Do not use accessory attachments that are not recommended by the manufacturer, as such attachments may cause injuries.
- · Wear proper exercise clothing and shoes during a workout: no garments that impede perspiration and no loose clothing. Tie long hair back. Keep garments or towels away from moving parts.
- · Do not overexert yourself or work to exhaustion. Use reasonable judgment when working with weights. Avoid using excessive weight, which may cause injury.
- · If you feel pain, faintness, dizziness, or abnormal symptoms, stop exercising immediately and consult your physician.
- · Keep head, limbs, fingers, and hair clear of all moving parts while the equipment is in use. Keep hands clear of racking pegs.
- · Never drop or insert objects into any opening in the equipment.
- · Check that all fasteners are securely tightened. Handle attachments should be properly connected.
- · Always check the equipment before using it. If you spot a potential problem, contact someone in the facility immediately. Do not use the equipment until the facility has verified that the equipment is working properly. Do not attempt to fix broken or jammed equipment.
- · Do not use the equipment outdoors or on wet surfaces.
- $\cdot\,$  Do not drop or slam the weight stack while exercising.
- · Use only Olympic—style weight plates with a 2" bore for training weight. Do not use dumbbells or any other means to increase weight resistance.
- · Always use weight plate retention devices like straps, clamps, or pins to ensure safety.
- · Add weight plates only up to the unit's load limits, and make sure they are placed entirely on the weight rod.
- · Always follow the load rating guidelines for any weight equipment, including weight rods and band peg limits, to prevent accidents. If you have any questions about proper weights and loading, ask a trainer or facility representative for help.

# 1.3 Warning Label Locations

# **WARNING**

During all operations involving transport, maintenance and cleaning, pay attention to any part of the equipment where body parts may become trapped. Attention must be paid to the labels attached to the equipment, as they provide information about possible risks and hazards. We recommend immediately replacing the labels when they become damaged or difficult to read.




















# 2. Installation and Assembly


## 2.1 Product Information

## SERIAL NUMBER LABEL LOCATION

### ASSEMBLY DIMENSIONS

		LIVE AREA	296 x 265 cm	116.5 x 104.3 inches
D	Consultation of user manual required	EQUIPMENT WEIGHT	136 kg	299.9 lbs
С	Serial number	HEIGHT	IIO cm	43.3 inches
В	Model number	WIDTH	174 cm	68.5 inches
A	Manufacturer's name	LENGTH	143 cm	56.3 inches

### LIVE AREA



296 cm (116.5")

MAINTENANCE LIST

WWW,INTENZAFITNESS,COM

intenza 🍱

ULEZZxxxxxxx

## 2.2 Place of Installation

To ensure safe, comfortable and effective use of the equipment, the place of installation must comply with certain specific requirements. In particular, before choosing where to install the equipment we recommended that you check the following conditions are available—

- · A temperature between +10°C and +25°C.
- · Sufficient ventilation to maintain a humidity level between 20% and 90%, when the equipment is in use.
- · Sufficient lighting to make the area a safe and relaxing place to exercise.
- · Sufficient clearance on all sides of the equipment, taking into account its maximum dimensions when in use, to ensure safety.
- · A flat, stable and vibration—free floor surface, with sufficient load bearing capacity for the equipment's weight.
- If the equipment is to be installed in a public recreation area, the place of installation must comply with all the requirements of the regulations currently in force.

# **WARNING**

The equipment must be installed and used in a place where access and supervision are specifically controlled by the owner. When installing the equipment, use suitable personal protective equipment.

## 2.3 Assembly Guide

### UNPACKING


Thank you for purchasing a Intenza product. Your Intenza product is inspected before it is packaged. It is shipped in multiple pieces to facilitate the compact packaging of the machine. Prior to assembly, confirm all the components by matching them with the part list Carefully unpack the unit from this box and dispose of the packing materials in accordance with your local laws.


### **CAUTION**

The weight of the product is heavy. To avoid injury to yourself and prevent damage to the frame components, be sure to have proper assistance removing the frame pieces from this box. Please be sure to install the equipment on a stable base, properly level the machine and leave at least two feet of clearance to enter and exit the machine.

**TOOLS PART LIST** 1. Allen Wrench, 2. Open-end Wrench, 16 mm 1. Left Frame 2. Rear Supporting Frame QTY 1 6 mm , 8 mm, 10 mm QTY 1 0 3. Right Frame 4. Foot Plate 6. Flat Washer, M12 7. Spring Washer, M12 5. Connecting Frame QTY 1 QTY 5 **QTY 20 QTY 14** QTY 1 8. Round Head Hex Socket Bolt, 9. Back Pad Frame 10. Connecting Frame 11. Arc Washer, M10, Silvery 12. Spring Washer, M10, Silvery M12 x 25 QTY 1 QTY 1 QTY 2 **QTY 12** 

**QTY 12** 





OD60 x ID10 x 3T

QTY 1

QTY 2

QTY 2

QTY 2

QTY 2







44. Seat Pad QTY 1




45. Leg Pad QTY 1





46. Mushroom Head Hex Socket Bolt, M10 x 35 QTY 8


STEP 1



### COMPONENTS

Left Frame (1), Rear Supporting Frame (2), Right Frame (3), Foot Plate (4)


## STEP 2



### COMPONENTS

Connecting Frame (5), Flat Washer, M12 (6), Spring Washer, M12 (7), Round Head Hex Socket Bolt, M12 x 25 (8)


## STEP 3



### COMPONENTS

Flat Washer, M12 (6), Spring Washer, M12 (7), Round Head Hex Socket Bolt, M12 x 25 (8), Back Pad Frame (9), Connecting Frame (10), Arc Washer, M10, Silvery (11), Spring Washer, M10, Silvery (12), Round Head Hex Socket Bolt, M10 x 20, Silvery (13)


## STEP 4



### COMPONENTS

Flat Washer, M12 (6), Spring Washer, M12 (7), Round Head Hex Socket Bolt, M12 x 25 (8), Round Head Hex Socket Bolt, M12 x 35 (14)


## STEP 5



### COMPONENTS

Seat Pad Frame (15), Flat Washer, M10 (16), Lock Nut, M10 (17), Countersunk Head Hex Socket Bolt, M10 x 70 (18)


## STEP 6



### COMPONENTS

Spring Washer, M12 (7), Right Swivel Frame (19), Left Swivel Frame (20), Shaft, Ø25 x 241.5L (21), End Cap (22), Big Flat Washer, M12 (23), Mushroom Head Hex Socket Bolt, M12 x 20 (24), End Cap (25), End Cap (26), Countersunk Head Hex Socket Bolt, M10 x 20 (27)

STEP 7




### COMPONENTS

14

Flat Washer, M10 (16), Lock Nut, M10 (17), Handle Frame (28), Ball (29), Round Head Hex Socket Bolt, M10 x 70 (30)


## STEP 8




### COMPONENTS

Weight Peg, 574L (31), Rubber Plate (32), Weight Peg, 674L (33), Arc Washer, M10, Black (34), Spring Washer, M10, Black (35), Round Head Hex Socket Bolt, M10 x 20, Black (36)

## STEP 9



## STEP 10



### COMPONENTS


Arc Washer, M10, Black (34), Spring Washer, M10, Black (35), Round Head Hex Socket Bolt, M10 x 20, Black (36), Weight Peg, 552L (37)

### COMPONENTS

Spring Washer, M10, Silvery (12), Round Head Hex Socket Bolt, M10 x 20, Silvery (13), Foam Frame (38), Foam (39), Big Flat Washer, OD60 x ID10 x 3T (40), End Cap (41) PLEASE NOTE

Repeat assembly on opposite side.


## STEP 11



### COMPONENTS

Spring Washer, M12 (7), Big Flat Washer, M12 (23), Mushroom Head Hex Socket Bolt, M12 x 20 (24), Shaft, Ø25 x 92L (42)

## STEP 12



### COMPONENTS

Spring Washer, M10, Silvery (12), Flat Washer, M10 (16), Back Pad (43), Seat Pad (44), Leg Pad (45), Mushroom Head Hex Socket Bolt, M10 x 35 (46)

## 3. Care and Maintenance

## 3.1 Commercial Maintenance Schedule

INSPECT		WEEKLY	MONTHLY	6 MONTHS	ANNUALLY
All adjustment pins, set screws, snap links, and pulleys	•				
All safety and instructional decals	•				
All nuts and bolts and tighten if needed		•			
All anti—slip surfaces and replace as needed		•			
All accessory bars and handles		•			
CLEAN					
Upholstery •					
Guide rods and lubricate with a teflon lubricant			•		
LUBRICATE					
Pivot bearings and linear bearings				•	

### **BEFORE YOU BEGIN**

Preventative maintenance is crucial to maintaining the function and safety of this equipment. Your facility must establish written guidelines for preventative maintenance and keep written or online records of the maintenance performed on these products. As a minimum, the items presented in the Safety Instructions section of this document and the items that follow here, should be included in your maintenance program.

**IMPORTANT** Always purchase replacement parts and hardware from Intenza. Many parts are tested and manufactured specifically for Intenza commercial strength equipment. If you use parts not approved by Intenza, you could void the Intenza Limited Warranty. Use of parts not approved by Intenza may cause injury. Intenza recommends that maintenance technicians thoroughly read and understand the safety guidelines and maintenance procedures covered in this manual.

NOTE If the equipment requires assembly, please refer to 2.3 Assembly Guide Section in this manual.

#### **TOOLS**



1. ALLEN WRENCH, 5 MM, 8 MM, 10 MM



2. OPEN-END WRENCH, 16 MM

## 3.2 Daily Inspection & Maintenance

The following items are critical to the safety of users and maintenance staff as well as ensuring the optimum performance of the machines. These inspections should be performed each day before the equipment is subject to use. Intenza is not responsible for performing or scheduling regular maintenance or inspections.

- · Inspect all adjustment pins, set screws, snap links, and pulleys if equipped.
- · Inspect all safety and instructional decals.
- · Verify that rubber hand grips are intact and secure.
- · Verify that anti—skid foot grips are intact and secure.

## 3.3 Weekly Inspection & Maintenance

The following items are critical to the safety of users and maintenance staff as well as ensuring the optimum performance of the machines. These inspections should be performed each week. Intenza is not responsible for performing or scheduling regular maintenance or inspections.

- · Verify that each pulley rotates freely when performing the exercise if equipped with pulleys. A pulley that does not rotate will cause extreme cable wear and could lead to cable failure. Determine cause and remedy immediately.
- · Verify that the adjustment pop pins retract easily and fully engage (when released) into each adjustment disc hole/slot. The pop pins are spring loaded so they should return to the engaged position when you release the knob.
- · Verify that the adjustment pin disengages and engages freely when actuating the adjustment mechanism. Be sure that the adjustment pin inserts fully into the adjustment disc.
- · Verify that all hardware is tightened and that associated frame members are secure. Apply a few small drops of a thread locking compound such as Loctite on any loose bolts.
- · Inspect frame for integrity and function. Replace any components at the first sign of wear with only Intenza supplied parts.

## 3.4 Other Scheduled Preventive Maintenance

Intenza recommends that scheduled maintenance be performed by a qualified service technician. Please contact your dealer or visit www.intenzafitness.com to contact a local Intenza authorized service technician.

#### MONTHLY

Clean guide rods and lubricate with a Teflon grease if equipped with guide rods.

### **EVERY 6 MONTHS**

Lubricate pivot bearing and linear bearings with lithium grease.

## 3.5 Clean the Equipment

Wipe all machines with a water dampened cloth and dry completely. This includes painted parts, chrome plated parts (except guide rods), plastic parts, and upholstered pads. It is important not to leave parts damp. This will increase the potential for corrosion to occur.

### **CAUTION**

Certain anti—bacterial cleaners and other harsh cleaning agents can induce corrosion on the machine components. These solutions can also dry out and cause cracking and splitting on the upholstery.

### **HEAVY DUTY CLEANING**

GUIDE RODS (IF EQUIPPED)	Clean and lubricate with a Teflon Spray. Be sure to coat the entire guide rod. Spraying lubricant into the cap plate bushing is also recommended.
CHROMED ADJUSTMENT TUBES	Wipe away dust and dirt before applying a Teflon spray lubricant. Intenza recommends using TriFlow or a similar brand.
LINEAR BEARINGS	Clean the linear shaft and lubricate (as required) with Teflon based grease. Keeping linear bearings clean and lubricated is critical to long life and good performance.
PAINTED FRAMES	If you have scuff marks, grease or a heavy dirt buildup on frame components, start with a mild soap solution or a diluted solution of a product such as Simple Green with a dilution of 32:1. If you cannot remove the marks using those methods, use a car polish/cleaner. DO NOT use solvents such as lacquer thinner, mineral spirits or acetone. For deeper scuff marks, use an automobile finish rubbing compound.
UPHOLSTERY	For heavy duty cleaning, use a mild soap solution. This method should be sufficient in the majority of instances. In severe stain cases, you can use a solution of 5—10% household bleach diluted with water. Be sure to test an inconspicuous area first. DO NOT use chemical cleaners on the vinyl upholstery. You can also use a lanolin based hand cleaner to clean your upholstery. Wipe off after cleaning with a damp cloth and thoroughly dry.
PLASTIC PARTS	Use a mild soap solution to clean dirt and grease marks.
LABELS	Use a mild soap solution to clean dirt and grease marks.
SHROUDS	Use a mild soap solution to clean dirt and grease marks.

### **CAUTION**

Do not use any acidic cleaners. Doing so will weaken the paint or powder coatings and may void the Intenza Warranty. Never pour or spray liquids on any part of the equipment. Allow the equipment to dry completely before using.

### **CAUTION**

If you determine that the equipment needs service, make sure that the equipment cannot be used inadvertently and ensure other users know that the machine needs service.

\*To order parts or to contact a Intenza Authorized Service representative, please visit www.intenzafitness.com.

